	Application No.	Applicant(s)
Notice of Allowability	10/712,072	BURKERT ET AL.
	Examiner	Art Unit
	William C. Joyce	3682
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the telephonic interview of 9/27/07.		
2. ☑ The allowed claim(s) is/are <u>1-6,8 and 10-14</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Opies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s)		<u></u>
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	··
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amendr	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	<ol> <li>8. ⊠ Examiner's Stateme</li> <li>9. □ Other</li> </ol>	ent of Reasons for Allowance
	. — <u> </u>	·

Application/Control Number: 10/712,072 Page 2

Art Unit: 3682

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with G. Gregory Shively on September 27, 2007.

The application has been amended as follows:

- a. Claim 1, line 4, after "component" examiner has inserted --connected to the robot--.
- b. Claim 1, line 8, after "position" examiner has inserted --at substantially any desired height along the length of the column--.
  - c. Claim 14, line 1, examiner has changed "9" to --1--.
  - d. Examiner has cancelled claim 15.
- 2. The following is an examiner's statement of reasons for allowance: The prior art does not teach a robot device having the claimed combination of features. Specifically, the robot device having a bottom horizontal component, a vertical column, a top horizontal component, the top component being fastened to the column as substantially any desired height with an adhesive, the device being made from a composite material,

ī

Application/Control Number: 10/712,072

Art Unit: 3682

the column having a niche for accommodating electronics and/or pneumatic components of the robot.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C. Joyce whose telephone number is (571) 272-7107. The examiner can normally be reached on Monday - Thursday 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on (571) 272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571,272-1000.